

Firefighting monitor AKRON DeckMaster 3440



Product features:

Mounting flange: 3" ASA 150 inlet / 2.5" NH outlet

Type d'utilisation: Installation fixe

Type d'utilisation: Commandé à distance

Débit: 4800 LPM (1250 GPM)

Amplitude of elevation: +90° / -45°

Rotation amplitude: 340°

Dimensions: 425.5 x 368.3 x 431.8 mm

POIDS.: 25 kg

Manufacturer's warranty: 5 years

Reference: -

EAN13: -

Color: Red, Yellow

Power supply: 24 V

Firefighting monitor AKRON DeckMaster 3440: a high-performance solution

The AKRON **DeckMaster 3440** is a high-tech firefighting monitor designed to meet the requirements of firefighting professionals. With its innovative design and advanced features, it guarantees unrivalled performance for safe, effective intervention.

DeckMaster 3440 highlights

The monitor AKRON® DeckMaster 3440 stands out for its features tailored to demanding environments:

- **Integrated electrical design:** an elevating mechanism raises the monitor by 60 cm, ideal for working around obstacles.
- **Enhanced precision:** electric control for precise rotation and elevation, enabling rapid adjustment during operations.
- **Extended compatibility:** adaptable to various AKRON accessories, such as nozzles or remote controls.
- **Durable material:** sturdy Pyrolite construction, combining lightness and durability to ensure greater resistance to extreme conditions.
- **Simplified maintenance:** maintenance kits available for longer service life.
- **Simplified installation:** intuitive design for fast, efficient assembly.

Fields of application

The monitor AKRON® DeckMaster 3440 is particularly suitable for :

- **Fire engines** equipped with platforms or structures requiring elevation.
- **Fixed installations** to protect industrial infrastructures, especially petrochemicals.
- **Hard-to-reach areas**, thanks to its flexible positioning.
- **Marine applications**, guaranteeing reliable use in difficult conditions.

Technical specifications

Features	Value
<i>Maximum flow rate</i>	4800 l/min
<i>Material</i>	Pyrolite
<i>Rotation</i>	355°
<i>Elevation</i>	+90° à -45°
<i>Power supply</i>	12V or 24V
<i>Control system</i>	Integrated CAN
<i>Features</i>	Programmable obstacle avoidance

Available accessories

- **Specific heads:** StreamMaster, TurboJet, or Master Stream for optimum jet control.
- **Connection cables:** ensure efficient communication between the controller and monitor.
- **Remote controls:** wall-mounted or portable control units for easy control.

Why choose the DeckMaster 3440 with MMF Protection et Sécurité?

As an **authorized AKRON dealer**, MMF Protection et Sécurité guarantees the following:

- **Parts availability:** permanent stock to reduce lead times.
- **Personalized advice:** our experts identify your needs and propose customized solutions.
- **Certified maintenance:** an approved repair center offering fast, reliable service in France and Europe.
- **Fast deliveries:** direct access to genuine AKRON spare parts and accessories.

Key benefits of servicing with MMF

- **Complete maintenance kits** for autonomous maintenance management.
- **Dedicated hotline** for rapid troubleshooting.
- **Maintenance contracts** to ensure constant equipment availability.

In short, the **firefighting monitor AKRON DeckMaster 3440** is a high-performance, reliable solution for professionals. Thanks to our expertise and our status as an authorized distributor, **MMF Protection et Sécurité** is

your ideal partner for acquisition, maintenance and technical advice.